### INDEX TO VOLUME XX

### INDEX TO AUTHORS AND TITLES

Abou-El-Seoud, Mohamed O. See Gray and Abou-El-Seoud 119, 251, 372

Akeson, Walter R., and Mark A. Stahmann. Leaf protein concentrates: a comparison of protein production per acre of forage with that from seed and animal crops 244

Baranov, A. Recent advances in our knowledge of the morphology, cultivation and uses of ginseng (Panax ginseng C. A. Meyer) 403 Barkley, T. M. A review of the origin and development of the florists' cineraria, Senecio

cruentus 386

Barnes, Donald K., and Ruben H. Freyre. Recovery of natural insecticide from Tephrosia vogelii. I. Efficiency of rotenoid extraction from fresh and oven-dried leaves 279

. Recovery of natural insecticides from Tephrosia vogelii. II. Toxicological properties of rotenoids extracted from fresh and oven-dried leaves 368

Bezuneh, Taye, and Asrat Feleke. The production and utilization of the genus Ensete in Ethiopia 65

Burk, L. G., and H. E. Heggestad. The genus Nicotiana: a source of resistance to disease of cultivated tobacco 76

Callen, Eric O. See Smith et al. 446

Camp, Bennie J., and Michael J. Norvell. The phenylethylamine alkaloids of native range plants 274

Covich, Alan P. See Nickerson and Covich 434

and Norton H. Nickerson. Studies of cultivated plants in choco dwelling clearings, Darian, Panama 285

Cutler, Hugh C. See Smith et al. 446 -. See Whitaker and Cutler 6

Decossas, K. M. See Lambou et al. 256

Earle, F. R. See Jones and Earle 127 Eslick, R. F. See Goering et al. 429

Feleke, Asrat. See Bezuneh and Feleke 65 Fogg, George G. The pinyon pines and man 103 Freyre, Ruben H. See Barnes and Freyre 279, 368

Gade, Daniel W. Achira, the edible Canna, its cultivation and use in the Peruvian Andes 407 Galinat, Walton C. The evolution of glumeless sweet corn 441

—... See Smith et al. 446
Genest, K., and M. R. Sahasrabudhe. Alkaloids and lipids of *Ipomoea*, *Rivea* and *Convolvulus* and their application to chemotaxonomy 416
Goering, K. J., R. F. Eslick, C. A. Watson, and Jiun Keng. Utilization and agronomic studies of cow cockle (Saponaria vaccaria) 429

Goor, Asaph. The history of the grape-vine in the Holy Land 46 . The place of the olive in the Holy Land and its history through the ages 223

Graves, R. R. See Hesseltine and Graves 156

Gray, William D. Fungal protein for food and feeds. I. Introduction 89

, and Mohamed O. Abou-El-Seoud. Fungal protein for food and feeds. II. Whole sweet potato as a substrate 119

-. Fungal protein for food and feeds, III. Manioc as a potential crude raw material for tropical areas 251

-. Fungal protein for food and feeds. IV. Whole sugar beets or beet pulp as a substrate 372

Gupta, U. S. See Madan et al. 377

Heggestad, H. E. See Burk and Heggestad 76

Helback, Hans. 1966-Commentary on the phylogenesis of Triticum and Hordeum 350 Hesseltine, C. W., and R. R. Graves. Microbiology of flours 156

Jennings, Peter R. Evolution of plant type in Oryza sativa 396 Johannessen, Carl L. Penibaye palm: yields, prices and labor costs 302

Jones, Quentin, and F. R. Earle. Chemical analyses of seeds II: oil and protein content of **759** species 127

Kaplan, Lawrence. See Smith et al. 446 Kapur, B. M. See Madan et al. 377 Keng, Jiun. See Goering et al. 429

- Kerdel-Vegas, Francisco. The depilatory and cytotoxic action of "Coco de Mono" (Lecythis ollaria) and its relationship to chronic seleniosis 187
- Kneebone, William R. Bermuda grass-worldly, wily, wonderful weed 94
- Lambou, M. G., R. L. Shaw, K. M. Decossas, and H. L. E. Vix. Cottonseed's role in a hungry world 256
- Madan, C. L., B. M. Kapur, and U. S. Gupta. Saffron 377
- Matsumoto, Hiromu. See Whiting et al. 98
- McCollum, Gilbert D. Occurrence of petaloid stamens in wild carrot (Daucus carota) 361 Mengesha, Melak H. Chemical composition of teff (Eragrostis tef) compared with that of wheat, barley and grain sorghum 268
- Morton, Julia F. The cajeput tree-a boon and an affliction 31
- Nickerson, Norton H. See Covich and Nickerson 285
- —, and Alan P. Covich. Collection of maize from Darien, Panama 434 Norvell, Michael J. See Camp and Norvell 274
- Ree, Jeung Haeng. Hemp growing in the Republic of Korea 176
- Roia, Frank C., Jr. The use of plants in hair and scalp preparations 17
- Sahasrabudhe, M. R. See Genest and Sahasrabudhe 416
- Shaw, R. L. See M. G. Lambou et al. 256
- Smith, C. Earle, Jr. Archeological evidence for selection in avocado 169
- et al. Bibliography of American archaeological plant remains 446
- Spatz, Maria. See Whiting et al. 98
- Stahmann, Mark A. See Akeson and Stahmann 244
- Toy, S. J., and B. C. Willingham. Effect of temperature on seed germination of ten species and varieties of Limnanthes 71
- Vasaniya, P. C. Palm sugar-a plantation industry in India 40
- Vix, H. L. E. See Lambou et al. 256
- Watson, C. A. See Goering et al. 429
- Westing, Arthur H. Sugar maple decline: an evaluation 196
- Whitaker, Thomas W. See Smith et al. 446
- —, and Hugh C. Cutler. Food plants in a Mexican market 6 Whiting, Alfred F. The present state of ethnobotany in the Southwest 316
- Whiting, Marjorie, Maria Spatz, and Hiromu Matsumoto. Research progress on cycads 98
- Willingham, B. C. See Toy and Willingham 71
- Wolff, Ivan A. New crops-visionary dream or practical reality 2
- Yarnell, Richard A, See Smith et al. 446

### INDEX TO REVIEWS AND NOTICES

- Altschul, Aaron M. Proteins-their chemistry and politics; review 111 Announcement 349
- Bakuzis, E. V., and H. L. Hansen. Balsam fir, Abies balsamea (Linnaeus) Miller-a monographic review; review 115
- Bandoni, Robert J. and Adam F. Szczawinski. Guide to common mushrooms of British Columbia; review 334
- Batson, Wade T. Wild flowers in South Carolina; review 336
- Beekman, W. Boerhave. Elsevier's wood dictionary in seven languages. Vol. 1; review 112
- Benigni, R., C. Capra, and P. E. Cattorini. Plante medicinali. Chimica, farmacologia e terapia; review 327
- Billings, W. D. Plants and the ecosystem; review 334
- Blaker, Alfred E. Photography for scientific publication; review 461
- Brewbaker, James L. Agricultural genetics; review 328
- Burgess, A. H. Hops. Botany, cultivation and utilization; review 346
- Campbell, Carlos C. et al. Great Smoky Mountains wildflowers; review 233
- Case, Frederick W., Jr. Orchids of the western Great Lakes region; review 113 Chen, K. K., and B. Mukerji (ed.). Pharmacology of Oriental plants; review 340
- Chow, Senyuang (ed.). China [Republic of] Yearbook, 1963-64; review 462

- Christidis, Basil G. To Bambaki (cotton); review 344 Claus, Edward P., and Varro E. Tyler. Pharmacognosy; review 347 Cooney, Donald G., and Ralph Emerson. Thermophilic fungi; review 327

Corbett, M. K., and H. D. Sisler (ed.). Plant virology; review 219

Cotton Research Institute. Christidis, Basil George (1902-1906); biography 222

Coulter, Merle C. The story of the plant kingdom; review 344

Cragg, J. B. (ed.). Advances in ecological research. Vol. 2; review 218

. Advances in ecological research. Vol. 3; review 469

Daubs, Edwin Horace. A monograph of Lamnaceae; review 469

Delevoryas, Theodore. Plant diversification; review 462

Dittmer, Howard J. Phylogeny and form in the plant kingdom; review 218

Eckardt, F. E. (ed.). Methodology of plant eco-physiology. Proceedings of the Montpelier Symposium; review 471

Fassett, Norman C. A manual of aquatic plants; review 468

Feuell, A. J. Insecticides; review 465

Fitzpatrick, Frederick L. Our plant resources. Plants and their economic importance; review 330

Fowells, H. A. Silvics of forest trees of the United States; review 462

Frisch, Rose E. Plants that feed the world; review 467

Gleason, Henry A., and Arthur Cronquist. The natural geography of plants; review 329 Gooding, E. G. B. et al. Flora of Barbados; review 219

Grant, Verne and Karen A. Grant. Flower pollination in the phlox family; review 326

Grew, Nehemiah. The anatomy of plants; review 464

Grillos, Steve J. Ferns and fern allies of California; review 466

Hawkes, Alex D. Encyclopaedia of cultivated orchids; review 215

Hutchinson, J. The genera of flowering plants. (Angiospermae). Dicotyledones. Vol. 1; review 337

Hitchinson, Sir Joseph (ed.). Essays on crop plant evolution; review 213

Karling, John S. Synchytrium; review 332

Kingsbury, John M. Deadly harvest; review 109

Knigge, Wolfgang and Horst Schulz. Grundriss der Forstbenutzung; Entstehung, Eigenschaften, Verwertung und Verwendung des Holzes und anderer Forstprodukte; review 470

Kormondy, Edward J. Readings in ecology; review 217

Kozlowski, Theodore T. Water metabolism in plants; review 109

Kreig, Margaret B. Green medicine; review 335

Kremp, Gerhard O. W. Morphologic encyclopedia of palynology. An international collection of definitions and illustrations of spores and pollen; review 468

Küchler, A. W. (ed.). International bibliography of vegetation maps; review 471

Lakela, Olga. A flora of northeastern Minnesota; review 347

Lewin, Louis (ed.). Phantastica, narcotics and stimulating drugs. Their use and abuse; review 331

Malyuga, Dmitrii Petrovich. Biogeochemical methods of prospecting; review 113

Manning, S. A. Systematic guide to flowering plants of the world; review 216 McClure, F. A. The bamboos. A fresh perspective; review 347 Montgomery, F. H. Weeds of Canada and the northern United States; review 333

Neal, Marie C. In gardens of Hawaii; review 108

News of the Society for Economic Botany 1, 117, 221

Parham, John W. Plants of the Fiji Islands; review 344

Percival, Mary S. Floral biology; review 343
Perry, Lynn R. Bonsai: trees and shrubs—a guide to the methods of Kyuzo Murata; review 114

Peterson, P. Victor. Native trees of Southern California; review 466

Preston, R. D. (ed.). Advances in botanical research. Vol. 2; review 466

Preston, Richard J., Jr. North American trees (exclusive of Mexico and tropical United States); review 467

Purvis, M. J., D. C. Collier, and D. Walls. Laboratory techniques in botany; review 338

Raven, Peter H. Native shrubs of Southern California; review 463 Reisigl, Herbert (ed.). Blumen Paradiese der Welt; review 113

Riolle, Y. Trouard. Les plantes médicinales; review 330

Rogers, Walter E. Tree flowers of forest, park and street; review 461 Rosenfeld, Irene, and Orville A. Beath. Selenium. Geobotany, biochemistry, toxicity, and nutrition; review 340

Rutter, A. J., and F. W. Whitehead (ed.). The water relations of plants; review 109

Scagel, Robert F. et al. An evolutionary survey of the plant kingdom; review 218 Schultes, R. E. P. Maheshwari; in memoriam 221 Sim, Stephen K. Medicinal plant alkaloids. An introduction for pharmacy students; review 468 Sirks, M. J., and Conway Zinkle. The evolution of biology; review 217

Steward, F. C. About plants: topics in plant biology; review 465 Strausbaush, P. D., and Earl L. Core. Flora of West Virginia; review 464

Stupka, Arthur. Trees, shrubs, and woody vines of Great Smoky Mountains National Park; review 338

Taylor, Norman. Plant drugs that changed the world; review 115

Taylor, T. M. C. The lily family (liliaceae) of British Columbia; review 463

Thomas, K. Bryn. Curare. Its history and usage; review 114

Thompson, Eloise Reid, and Edna Wolf Miner. Wildflower portraits; review 219

Turrill, W. B. (ed.). Vistas in botany. Vol. 4; review 216

Villax, E. J. La culture des plantes fouragères dans La Région Méditerranéan Occidentale; review 115

Watson, E. V. The structure and life of bryophytes; review 328

Wheeler, Margaret F., and Wesley A. Volk. Basic microbiology; review 345

Zimmermann, Martin H. (ed.). The formation of wood in forest trees; review 339

Zhukovsky, P. M. Cultivated plants and their wild relatives. Taxonomy, geography, cytogenetics, ecology, origin, utilization; review 106

### INDEX TO GENERIC AND SPECIFIC NAMES

Abrus precatorius 138 Absidia italianus 163

Abutilon americanum 143 Acacia 274; angustissima 128, 274-277; baileyana 138; berlandieri 277; catechu 25; constricta 138, 274-277; cultriformis 274; cyanophylla 138; elata 138; farnesiana 138, 275-277; floribunda 274; greggii 138, 274-277; hakeoides 274; linearis 138; linifolia 274; longifolia, 138, 274; lunata 274; madienii 274; pennatula 138; podalyriaefolia 274; pravissima 274; prominens 274; rigidula 274-277; roemeriana 274-277; schaffneri 138; schottii 274-277; senegal 22, 25, 27; suaveolens 138, 274; texensis 274-277

Acanthus hirsutus 148; mollis 148

Acer buergerianum 142; cissifolium 142; negundo 142, 204; pseudo-platanus 202; rubrum 206; saccharum 196-213; var. barbatum 206; var. grandidentatum 206; var. nigrum 206; truncatum 142

Achillea filipendulina 149; millefolium 149

Achras zapota 292

Achromobacter 157, 161 Aconitum napellus 134

Acrocomia mexicana 8, 12

Actaea rubra 134

Adenanthera pavonina 138

Adenoncos 215

Adenophora lilifolia 149; potaninii 149

Adlumia fungosa 135

Adonis aestivalis 134; autumnalis 134; flammea 134

Aegilops 352, 355; speltoides 214; squarrosa 214, 355

Aerobacter aerogenes 157

Aeschynomene indica 138

Aesculus octandra 142; turbinata 142

Agastache urticifolia 147

Agave americana 412; geminiflora 132; potrerana 132

Agropyron cristatum 131: cristatum X Triticum 131; repens 131

Agrostemma githago 134

Ajuga chia 147

Akebia quinata 135; trifoliata 135

Alcaligenes fecalis 161

Aleurites fordii 26; trisperma 141

Allium 102, 292; cepa 9; drummondii 132; sativum 9, 21, 26

Alnus cordifolia 133; incana 133

Alopecurus arundinaceus 131; pratensis 131

Alternaria 159, 163, 405; longipes 83; panax 405

Alvaradoa amorphoides 141

Alysicarpus vaginalis 138

Alyssum campestre 135; desycarpum 135; minimum 135; saxatile 135; var. luteum 135; tortuosum 135

Amaranthus 10, 318; caudatus 134; leucocarpus 11; viridis 134

Amblyolepis setigera 149 Amburena 138

Amelanchier alnifolia 137

Ameria pseud-armeria 146

Amicia zygomeris 138

Ammi majus 144

Ammobium alatum 149; var. grandiflorum 149

Ammoselinum popei 144

Amoreuxia palmatifida 144

Anacardium 290

Anagallis arvensis 146

Anamirta cocculus 27

Ananas 288; comosus 8, 292

Anchusa hybrida 147

Andropogon gerardi 131; hallii 131; scoparius 131; ternarius 131

Anemone decapetala 134 Angelica ampla 144; archangelica 144

Annona cherimola 8, 409; muricata 292; reticulata 8

Annulus orae 86

Anoda cristata 143

Anogeissus latifolia 23, 25

Anthemis nobilis 24, 25; tinctoria 149; varkelwayi 149

Anthriscus cerefolium 145

Antigonon leptopus 133 Aphanostephus arizonicus 149 Apium graveolens 23, 26 Aquilegia 134; alpina 134; caerulea 134

Arabis 135; alpina 135; glabra 135; laevigata 135

Arachis hypogaea 11, 22, 25, 26 Arbutus menziesii 145; unedo 145 Arctium minus 149 Argemone albiflora 135; intermedia 135

Argyreia nervosa 416, 424 Aristolochia maurorum 133

Armillaria mellea 199 Arrabidaea 148

Arracacia xanthorrhiza 408 Arrhenatherum elatius 131 Artemisia absinthium 149

Artocarpus altilis 292 Arvicola arvalis 384

Asclepias subverticillata 146; tuberosa 146 Aspergillus 162-165; candidus 157-159, 163, 165; chevalieri 165; flavus 159, 163, 164; flavus-oryzae 161-165; fumigatus 163; flavus-oryzae 161-165; fumigatus 163; glaucus 158-165; niger 93, 163, 164; ochraceus 159, 163; repens 164; tamari 164; versicolor 163

Aster novae-angliae 149; novi-belgii 149; tenacetifolius 149: tongolensis 149

Astragalus crassicarpus 138; gummifer 22, 27; hamosus 138; nuttalianus 138; panduratus 138; racemosus 138

Baccharis halimifolia 149; sarothroides 149; vaccinioides 149

Bacillus 161; bulgaricus 164; mesentericus 156, 157, 161; panis 156; subtilis 156, 161, 163

Bahia glandulos 149

Baptisia leucantha 138; viridis 138

Barbarea vulgaris 135 Bauhinia 138

Beta vulgaris 9, 27; var. cicla 10

Betula 200; alba 21, 24, 26; alleghaniensis 21, 25; papyrifera 197: lenta platyphylla 133

Bidens pilosa 149; f. radiata 149

Bifora americana 145 Bixa orellana 144, 293, 297 Bocconia arborea 135 Boreava orientalis 135

Boronia megastigma 141 Bothriochloa caucasica 131; ischaemum 131; saccharoides 131

Botrytis 162 Bowenia 98

Brachysporium oosporum 252, 372

Brassica 136, 288, 292; integrifolia var. carinata 67; campestris 150; juncturatus 26, 136; nigra 22-26, 136; oleracea 10; rapa 136

Brazoria acutellariodes 147

Brickellia scoparia var. subauriculata 149

Briza spicata 131 Bromus 131

Brongniartia alamosana 138 Browallia americana 147 Bumelia laetevirens 8

Bursera confusa 141; grandifolia 141; inopinata 141

Cacalia appendiculata 388; decomposita 149; echinata 388; tuberosa 149

Caesalpinia echinata 25 Cajanus 288; cajan 138, 292 Cajuputi leucadendra 31 Calea urticaefolia 149 Calendula officinalis 149, 380

Calocarpum mammosum 8, 290; sapota 290 Calochortus 132

Camelina microcarpa 136; rumelica 136 Camellia japonica 143; sasanqua 25 Campanula carpatica 149; persicifiolia 19

Cananga odorata 22, 25 Canavalia 138

Canna 366; coccinea 407; edulis 407-409; flaccida 133; indica 133; 407; paniculata

Capsella bursa-pastoris 136 Capsicum 288, 292, 297; annum 8, 174; frutescens 8, 23, 26

Carduus nutans 150 Carica 288; papaya 8, 292, 297 Carludovica palmata 293, 297 Carphochaete wislizeni 150

Carum carvi 23, 24 Carya illinoensis 11 Casimiroa edulis 8

Cassia 139; alata 138; biflora 138; corymbosa 138; covesii 139; durangensis 139; fasciculata 139; hirsuta 139; javanica 139; leptocarpa 139; lindheimeriana 139; cf. lindheimeriana 139; marilandica 274-277; occidentalis 292; roemeriana 139; tora 139; uniflora 139; ef. uniflora 139

Catha edulis 67 Caucalis daucoides 145

Cedrus atlantica 131; deodara 131

Ceiba pentandra 11 Cellulomonas 157 Celosia cristata 134

Celotropis gigantea 146 Celtis australis 133; occidentalis 133

Centaurea americana 150; cyanus 150; dealbata 150; gymnocarpa 150; macrocephala 150; montana 150; moschata 150

Cephalotaxus harringtonia var. drupaceae 131 Cerastium perfoliatum 134; viscosum 134 Ceratocystis coerulescens 199; fagarearum

207; ulmi 205 Ceratonia siliqua 22, 25

Ceratopetalum gummiferum 137 Cercidium floridum 139; torreyanum 139

Cercocarpus montanus 137 Cercospora nicotianae 83

Cerex 132; crinita 132; rostrata 132

Cerinthe minor 147 Chaenactis 150; alpina 150 Chaerophyllum tainturieri 145 Chamaecyparis lawsoniana 131 Chamaerops humilis 132

Cheiranthus cheiri 136 Chenopodium 318; leptophyllum 134; nuttal-

Chloris gayana 131; virgata 131

Chondrus crispum 21, 25 Chrysalidocarpus lucubensis 132; lutescens 132 Chrysanthemoides monilifera 150; leucanthe-Chrysanthemum coronarium 150; leucanthe-

mum 150

Cicer arietinum 11 Cichorium intybus 150

Cicuta douglasii 145; maculata 145; mexicana 145

Cinchona 24, 26

Cineraria 387; cruenta 389, 390

Cineraria appendiculata 388; aurita 388; cruenta 388; hybrida 389; lactea 388; lanata 388, 389; malvaefolia 388; multiflora 388; ramentosa 388; tussilaginis 388

Cinnamomum camphora 22, 24; cassia 22, 24; zevlanicum 22, 24

Cirsium carolinianum 150; megacephalum 150

Citron sinensis 22

Citrullus vulgaris 8, 292, 297 Citrus 288, 292; aurantifolia 8, 22, 24; aurantium 22, 24; var. amara 22, 24; bergamia 22, 24; limon 22-26; paradisi 8; reticulata 8; sinensis 8, 24

Cladium ismaicense 132

Cladosporium 120-125, 162, 163, 252, 254, 372; cladosporoides 120, 252, 253; cladosporoides 372

Clarkia amoena 144: elegans 144

Clematis flammula 134; paniculata 134; recta 134; viticella 134

Cleome serrulata 135 Clerodendrum trichotomum 147

Clitoria ternatea 139

Cocos nucifera 11, 21, 26 Codiaeum variegatum 293 Coffea arabica 67, 292

Coix 288; lacryma-jobi 293, 297 Colletotrichum 82; panacicola 405

Collinsonia canadensis 27 Comandra pallida 133 Commiphora 23, 27 Condalia 143

Conium maculatum 145

Conringia orientalis 136; planisiliqua 136 Convolvulus 416-428; elongatus 427; farinosus 427; incanus 146; libanoticus 427; mauritanicus 422, 427; siculus 427; tricolor 146, 420-426; undulatus 427

Copernicia cerifera 21, 25 Cordyline indivisa 132

Coreopsis basilia 150; grandiflora 150

Coriander sativum 10 Coriandrum sativum 145

Cosmos bipinnatus 150; seemanni 150

Cotoneaster acuminata 137

Couepia 137 Couroupita guianensis 187

Cowania stansburiana 137 Crambe abyssinica 136; orientalis 136; tatarica 136

Crataegus crus-galli 137

Crescentia 288; cujete 10, 293-297

Crinum 288

Crocus 377, 378; sativus 21, 25, 378, 379

Crotalaria anargyroides 139; eriocarpa 139; ef. incana 139; intermedia 139; juncea 139;

cf. longirostrata 139; mucronata 139; pumila 139; quinquefolia 139; retusa 139; spectabilis 139

Croton fragilis 141; tiglium 27 Cucumis melo 8; sativus 8, 149

Cucurbita 288, 292; ficifolia 8; foetidissima 149; lundelliana 149; maxima 13; mixta 8, 11, 14; moschata 9, 13, 14, 299; pepo 9-13

Cunninghamia lanceolata 131 Cuphea ignea 144; llevea 144 Cupressus arizonica 131

Curcuma longa 25 Cuscuta 380

Cyamopsis tetragonoloba 139

Cycas 98; circinalis 99, 100; revoluta 99

Cymbopogen 288; citratus 10, 21, 24, 292; flexuosus 21, 24; martinii 21, 24; nardus 21, 24

Cynara cardunculus 150; scolymus 10, 150

Cynodon dactylon 94-97 Cytisus albus 139

Dactylis glomerata 131 Dahlia pinnata 150

Dalea albiflora 139; citriodora 139; frutescens 274-277; lagopina 139; mucronata 139; neglecta 139; nutans 139; psoraleoides 139; tomentosa 139; tuberculina 139; viridiflora 139

Danae racemosa 132

Daphniphyllum macropodum 141

Datura discolor 147; inoxia 147; ef. inoxia 147; stramonium 147

Daucus 366; carota 9, 145, 361-367; pusillus 145

Delphinium grandiflorum 134; hybridum 134; occidentale subsp. cucullatum 134; tenuisectum 134

Derris 279, 368, 369

Descurainia pinnata 136; sophia 136 Desmanthus acuminatus 139; virgatus 139 Desmodium bellum 139; dillenii 139

Dianthus barbatus 134; chinensis 134

Dictamnus albus 141

Digitalis purpurea 148; var. gloxiniae-flora 148

Dimorphotheca 151; chrysanthemifolia 150; cuneata 150; pluvialis 150; sinuata 150; zeyheri 151

Dioscorea 288, 295; alata 292; trifida 292

Diospyros ebenaster 9 Disanthus cercidifolius 137

Doronicum 387; caucasicum 151; cruentum 388; echinatum 388; malvaefolium 388; papyraceum 388; tussilaginis 388; webbii 388

Dracocephalum moldavica 147 Dracopis amplexicaulis 151

Dyssodia cancellata 151; hartwegi 151; pentachaeta 151; pinnata 151; roseata 151

Echinacea 151; angustifolia 151

Echinochloa 131 Echium plantagineum 147

Elaeis guineensis 21, 25, 26 Elephantopus scaber 151

Eleutherococcus senticosus 406

**Encephalartos 98** Endomycopsis 165 Engelmannia pinnatifida 151 Ensete 65-70; ventricosum 65 Enterolobium cyclocarpum 139 Eragrostis pilosa 268; tef 268-273 Eremocarpus setigerus 141 Erodium gruinum 141 Eruca sativa 136 Eryngium foetidum 293; planum 145 Erysiphe cichoracearum 84 Erythrina americana 11; flabelliformis 139 Erythroxylon mexicanum 141 Eschscholzia californica 135 Eschweilera cordata 187 Escobedia cf. crassipes 148; peduncularis 148 Eucalyptus 34, 35; globulus 23, 24 Eugenia caryophyllata 23, 24 Eupatorium 151; eupatorium 151; hy pinum 151; liebmannii 151; odoratum 151 hysso-Euphorbia 141; euphosperma 141; heterophylla 141; lathyrus 141; myrsinites 141; parryi 141

Falcaria vulgaris 145 Fallugia paradoxa 138 Felicia amelloides 151 Ferula galbaniflua 145 Festuca arundinacea 131 Fibigia clypesta 136 Flaveria trinervia 151 Flavobacterium 157, 161 Flemingia 140 Flourensia cernua 151; pringlei 151 Forestiera pubescens 146 Fragaria 366 Frasera parryi 146 Fraxinus 200 Froelichia floridana 134 Fusanus spicatus 22, 25 Fusarium 99, 405; oxysporium 84; sambucinum 405; sporotrichoides 405 Gaillardia pinnatifida 151; pulchella 151 Galium aparine 148; articulatum 148 Garcinia hanburyi 25 Gaultheria procumbens 23, 25 Gaura suffulta 144 Gelidium cartilagineum 21, 25, 27 Genipa americana 293, 297, 299 Geranium 366; carolinianum 141 Gilia 146; pinnata 146; rigidula 146 Gleditsia triacanthos 274-277 Glyceria obtusa 131; striata 131 Glycine max 22, 25, 26 Glycobius speciosus 199 Gossypium 23-26; anomalum 366; arboreum 366; hirsutum 293 Grindelia oxylepis 151 Guilielma 288; gasipaes 302-315; utilis 293, Gustavia brasiliana 190; speciosa 190

Haematoxylon campechianum 25 Hamamelis virginiana 22-26 Hedeoma drummondii 147 Hedysarum varium 140

Gypsophila elegans 134; porrigens 134

Helenium autumnale 151; laciniatum 151; ooelinium 151 Helianthemum nummularium var. mutabile 144 Helianthus 151, 318; annuus 24-26, 151; ciliaris 151; maximiliani 151 Helichrysum bracteatum 151; monstrosum 151 Heliopsis helianthoides 151; laevis 151; pitcheriana 151; scabra var. zinniaeflora Helipterum manglesii 151; var. maculatum 151; roseum 151 Helleborus niger 134 Helminthosporium sativum 120, 122 Heracleum lanatum 145; maximum 145 Hetrocephalum 373; aurantiacum 119-122. 372 Heterodera tabacum 83 Heterophragma adenophyllum 148 Hevea 216 Hibiscus abelmoschus 143; cannabinus 143; esculentus 143, 293; grandiflorus 143; lasiocarpus 143; moscheutos 143; sabdariffa 11; syriacus 143 Hippophae rhamnoides 144 Hordeum 350-360; deficiens 359; distichon 359; spontaneum 355-359; tetrastichum 359; vulgare 359 Hormodendrum 163 Hovenia dulcis 143 Hyacinthus 366 Hydrocotyle bonariensis 145 Hydrangea paniculata 137 Hylocereus undatus 9 Hymenocallis americana 293 Hymenopappus artemisiaefolius 151 Hyoscyamus reticulatus 147 Hypericon perforatum 25 Hypericum cistifolium 143; tetrapterum 143 Hyptis 293; cf. americana 147; decurrens 147: suaveolens 147

Idesia polycarpa 144
Ilex serrata 142
Indigofera densiflora 140; jaliscensis 140; tinctoria 22, 25; zollingeriana 140
Inga edulis 293, 297
Iostephane heterophylla 151
Ipomoea 146, 416-428; aitonii 427; alba 420, 424, 425; batatas 9, 119-127; bicolor 427; cardinalis 427; coccinea 424, 425; var. hederifolia 421; digitata 427; diversifolia 427; hederacea 146; hederifolia 427; hirsutula 427; hybrida 422; lindheimeri 421, 425, 426; muricata 424, 427; nil 416-427; orizabensis 427; parasitica 146; purpurea 416, 420-427; rubro-caerulea 416; sibirica 427; violacea 416-427
Iris florentina 21, 26; germanica 21, 26; missouriensis 132, 133; pallida 21, 26
Isatis sucheri 136; tinctoria 136

Iberis amara 136; umbellata 136

Isomeris arborea 135

Iva 318

Jaéquinia pungens 146
Jasminum 293, 366; fruticans 146; grandiflorum 23, 24

Jatropa manihot 251-255
Jatropha cordata 141; cureas 293; macrorhiza 141
Jugastron christii 187
Juglans nigra 21, 25
Juncus effusus 132
Juniperus 103, 104; oxycedrus 21, 24, 26; virginiana 131
Jussiaea leptocarpa 144

#### Krameria 27

Lactobacillus 164 Lactuca sativa 10 Lagenaria siceraria 10 Lagerstroemia indica 144; speciosa 144; tomentosa 144 Laminaria digitata 26; saccharina 21, 26 Lantana 147 Lappula redowskii 147 Larrea divaricata 141 Lavandula 147; vera 23, 24 Lavatera 143; assurgentiflora 143; trimestris 143 Lawsonia inermis 23, 25 Lechea tenuifolia 144; villosa 144 Lecythis curranii 187; elliptica 187; hipartita 187; longifolia 187, 190; minor 187, 190; ollaria 187-195; paraensis 190; vernusta 190; zabucayo 187 Lens culinaris 11 Leonotis nepetaefolia 147 Lepidium draba 136; lasiocarpum 136; montanum var. angustifolium 136; perfoliatum 136; virginicum 136 Lesquerella angustifolia 136; argyraea 136; densipila 136; engilmanii 136; fendleri 136; globosa 136; gordonii 136; gracilis 136; grandiflora 136; lasiocarpa 136; lescurii 137; lindheimeri 137; ovalifolia 137; pinetorum 137 Leucaena esculenta 11; lanceolata 140; leucocephala 140; retusa 140 Levisticum officinale 145 Liatris odoratissima 24, 27; pycnostachya 151

Libocedrus decurrens 131
Ligusticum porteri 145
Ligustrum japonicum 146
Limnanthes 71-75; alba var. alba 72; var.
versicolor 72; bakeri 72; douglasii 71, 74,
142; var. douglasii 72; var. nivea 72; var.
rosea 72, 74; floccosa var. floccosa 72;
gracilis var. parishii 72-74; montana 72;
striata 72, 74
Limnosciadium pumilum 145
Linderina pennispora 120, 121, 252

Linum 141; australe 141; grandiflorum 141; perenne 141; usitatissimum 22, 25, 26
Lippia durangense 147
Liquidambar 200; styraciflua 205
Liriodendron tulipifera 196
Litsea glaucescens 135
Lobularia maritima 137
Lolium perenne 131; temulentum 131
Lomatium daucifolium 145; nudicaule 145
Lonas annua 151
Lonchocarpus 279, 368, 369
Lotus scoparius 140

Lucuma mammosa 299
Lunaria annua 137
Lupinus 140; latifolius 140; stipulatus 140;
texensis 140
Lychnis chalcedonica 134
Lycium chinense 147
Lycopersicon 297; esculentum 9; var. cerasiforme 293
Lysiloma acapulcensis 140
Lythrum salicaria 18, 25

Macrocystis pyrifera 21, 26 Macrozamia 98 Magnolia grandiflora 135; macrophylla 135 Majorana hortensis 23, 25 Malachra capitata 143 Malcomia maritima 137 Malope trifida 143 Malus sylvestris 9 Malva 143 Mammea americana 290, 292, 297 Manfreda 132 Mangifera 288; indica 9, 292 Manihot 288, 296; esculenta 251-255, 292, 298, 408; isoloba 141; rubricaulis 141; utilissima 251-255 Manilkara sapotilla 298; zapotilla 9, 292 Maranta 408; arundinacea 21, 26 Marmor enrodens 85; tabaci 85 Marrubium vulgare 147 Marsh gilensis 149 Marshallia caespitosa var. signata 151 Maximowiczia sonorse 149 Medicago turbinata 140 Melaleuca cajaputi 31 Melicocca bijuga 299 Matricaria chamomilla 24, 25 Melaleuca leucadendron 31; minor 31; quinquenervia 31-39; var. cunninghami 31; var. flos-virida 31; var. mimosoides 31; var. lancifolia 31; var. minor 31, 34; saligna 31; var. varidiflora 31, 34; saligna 31; viridiflora 31 Melampodium perfoliatum 151 Melilotus indicus 140; officinalis 140 Meliosma myriantha 142 Melochia hirsuta 143 Mentha 10 Mespilus germanica 138 Micrococcus candidus 161 Microzamia spiralis 99 Mimosa aculeaticarpa 140 Mirabilis 288; jalapa 293, 296 Modiola caroliniana 143 Moluccella laevis 147 Mollugo verticillata 134 Momordica balsamina 149; charantia 149, 293 Monarda punctata 147 Monnina wrightii 141 Monosepalum 215 Montanoa arborescens 151 Morus rubra 133 Mucor 164, 165; italianus 163; racemosus 163 Musa 65, 288, 296; paradisiaca 291, 292, 297; var. sapientum 9 Mycosporella 99

Myosotis sylvatica 147

Myrcia acris 23, 24

Myrica cerifera 133; pensylvanica 21, 25, 133 Myristica fragrans 22, 24 Myrothecium verrucaria 372 Myroxylon balsamum 22, 26; pereirae 22, 25

Nama havardii 146 Nasturtium officinale 10, 137 Nepeta congesta 147 Neptunia pubescens 140 Nereocystis luetkeana 21, 26 Nerum oleander 146, 293 Nerisyrenia camporum 137 Neurolaena lobata 151

Neurospora 158 Nicotiana 76-88, 366; subg. Petunioides 81, 84; subg. Rustica 81; subg. Tabacum 81; sect. Suaveolentes 81, 83; sect. Tomentosae 85; acaulis 80, 86; acuminata 80, 84-86; affinis 83; alata 80-86, 147; ameghinoi 80, 82; amplexicaulis 80, 82; angustifolia 86; arentsii 80-86; attenuata 80, 84, 86; benavidesii 80, 82; benthamiana 80, 84, 86; bigelovii 80, 84, 86; bonariensis 80, 85, 86; cavicola 80, 86; clevelandii 80, 85; cordifolia 80, 86; corymbosa 80, 82; debneyi 78-85; excelsior 80, 84; exigua 80-85; forgetiana 80-83; fragrans 80, 84, 86; glauca 80-86; glutinosa 77-80, 94, 85; goodspeedii 80-86; gossei 79-82, 86; hesperis 80, 83, 84; ingulba 83; knightiana 80-85; langsdorffii 80-85; linearis 80, 82; longibracteata 80, 82; longiflora 77-86; maritima 80, 82, 86; megalosiphon 80-85; miersii 80, 82; neso-80-84; noctiflora 80; nudicaulis 80-86; occidentalis 80-84; otophora 76, 80, 83, 85; palmeri 80-84; paniculata 80-85; pauciflora 80, 84; petunioides 80, 83; plumbaginifolia 80-86; raimondii 80, 84-86; repanda 79-86; rosulata 80, 83; rotundifolia 80; rustica 80, 82, 86; sanderae 80-86; setchellii 80, 85; simulans 80, 83; solanifolia 80, 82; spegazzinii 80, 82; stocktonii 80, 82; suaveolens 81-86; sylvestris 76, 79-84; tabacum 76-86, 293, 364; thyrisflora 81, 82; tomentosa 81-85; tomentosiformis 81-85; trigonophylla 81-84; umbratica 81, 82; undulata 81-86; velutina 81-86; wigandioides 81-85

Nigella damascens 134 Nolana atriplicifolia 427 Nolina durangensis 132 Nymphaea odorata 366

Ocimum 293; sanctum 147 Oenothera 144; drummondii 144; laciniata 144; lamarckiana 144; missouriensis var. incana 144; serrulata 144

Olea europaea 23-26, 223-243; var. oleaster 223

Oncoba spinosa 144 Onobrychis arenaria 140; argyrea 140 Onopordum acanthium 151, 380; arabicum 152 Ophyrus bifolia 25; ovala 25 Opuntia 10, 293 Ornithogalum nutans 132

Oryza perennis subsp. balunga 402; sativa 11, 21, 26, 291, 292, 396-402

Osmorhiza occidentalis 145

Osteospermum amplectans 152; calendulaceum 152; caulescens 152; clandestinum 152; dregei 152; ecklonis 152; hyoseroides 152; junceum 152; muricatum 152; scariosum 152; sinuatum 152; spinescens 152

Oxalis europaea 141; tuberosa 7, 10 Oxytropis lambertii 140; sericea 140

Pachyrhizus tuberosus 10 Pachyrrhizus vernalis 140 Paeonia 366; peregrina 134 Paliurus spina-christi 143 Panax ginseng 403-406 Panicum coloratum 131: dactylon 94 Papaver 380; rhoeas 135

Paracaryum caelestinum 147 Parinarium 138

Parkinsonia aculeata 140 Parthenocissus quinquefolia 143; tricuspidata var. veitchii 143

Passiflora ligularis 9, 15 Pastinaca sativa 145 Pedicularis groenlandica 148

Pelargonium 22, 24 161-165; brevicompactum Penicillium 158, 162; chrysogenum 163; citrinum 163; cyclopium 163; expansum 162; frequentans 163; funiculosum 163; luteum 164; oxalicum 164; patris-mei 162

Pennisetum ciliare 131; ciliare villosum 131 Penstemon 148; australis 148; campanulatus 148; centranthifolius 148; fendleri 148; havardi 148; kunthii 148; cf. kunthii 148; spectabilis 148

Pentzia 152; sphaerocephala 152

Perezia platyphylla 152 Pericallis 386, 387; cruenta 388; echinatus 388; lanata 388; papyracea 388; populifolia 388

Perityle 152 Peronospora tabacina 83

Persea 175, 288; americana 9, 25, 292, 297, 298; var. drymifolia 169, 173, 174

Petalostemon cerneus 140; emarginatus 140; feayi 140; pulcherrimum 140; purpureum 140

Petroselinum crispum 10

Phacelia congesta 146; integrifolia 146; robusta 146 Phalaris tuberosa 278

Pharbitis nil 416

Phaseolus coccinus 11; lunatus 11; vulgaris 11, 292

Philadelphus grandiflorus 137

Phleum pratense 131 Phoma crocophila 384

Physalis alkekengi 147; ixocarpa 9; nicandroides 147

Phytophthora cactorum 405; parasitica 82; var. nicotianae 76

Picea abies 131

Picramnia pentandra 141

Pilocarpus jaborandi 22, 26; microphyllus 22.

Pimenta officinalis 23, 24 Pimpinella anisum 145

Pinus 11; cembroides 103; culminicola 103; edulis 103-105; flexilis 131; monophylla 103, 104; nelsoni 103; palustris 21, 26, 27; pinceana 103; quadrifolia 103; sylvestris 21, 24

Pistacia lentiscus 23, 27

Pisum sativum 11; var. arvense 140

Pithecellobium mexicanum 140; undulatum 140

Pittosporum tobira 137 Pituranthos aphylla 145

Plantago aristata 148; indica 24, 26; ovata 24, 26; psyllium 24, 26; rhodosperma 148; wrightiana 148

Platanus occidentalis 137 Pleiogynium solandri 142 Poa bulbosa 131 Podachaenium eminens 152 Podocarpus macrophylla 131 Pogostemon patchouli 23, 24 Poinciana pulcherrima 293

Polanisia 135

Polemonium caeruleum 25

Polygonum kitaibelianum 133; pensylvanicum 133; punctatum 133

Polymnia sonchifolia 414; uvedalia 152 Polytsenia nuttallii 145 Pongamia 140

Portulaca oleracea 10

Potentilla arguta subsp. convallaria 138; hirta 138; pulcherrima 138; recta 138 Pothomorphe peltata 293, 297

Pouteria campechiano var. salicifolia 9; campechianum 290; mammosa 290

Prionosciadium 145

Proboscidea 148; altheaefolia 148 Prosopis chilensis 410; juliflora 140; tamarugo 140

Prosopsis glandulosa 274-277
Prunus amygdalus 22; var. amara 25, 26; var. duleis 25, 26; armeniaca 25; ilicifolia 138; persica 25, 138; serotina 11; virginiana 138

persica 25, 138; serotina 11; virginiana 138 Pseudomonas solanacearum 77, 84; tabaci 77, 86

Psidium guajava 9

Psilostrophe cf. gnaphalioides 152 Ptelea trifoliata var. mollis 141

Pulsatilla vulgaris 134 Punica granatum 9 Pyracantha coccinea 138

Pyrus communis 9; cydonia 22, 25; malus 9

Quamolclit coccinea 427 Quassia amara 293 Quercus 196, 200, 207; infectoria 21, 25, 26 Quillaja saponaria 22, 26

Ramularia 405
Randia 148
Ranunculus arvensis 135; constantinopolitanus 135; seeleratus 135
Raphanus raphanistrum 137; sativus 10, 137
Rapistrum rugosum 137
Ratibida columnifera 152; tagetes 152
Reseda lutea 137; odorata 137
Reverchonia arenaria 142
Rheedia 290

Rheum 25

Rhizoctonia 405; crocorum 384; solani 405; violacea var. crocorum 384

Rhizopus 158, 163, 165; nigricans 163, 164 Rhodotypos tetrapetala 138

Rhus copellina 142; glabra 142; trilobata var. pilossissima 142

Rhynchosia pyramidalis 140

Ricinus communis 23-26; var. cambodgensis 142; var. gibsonii 142; var. sanguineus 142; var. zanziberensis 142

Rivea 416-428; corymbosa 146, 416-427

Rocella tinctoria 27

Rosa 138; damascena 22. 24; gallica 22, 24

Rosmarinus officinalis 23, 25

Rubus 138; idaeus var. strigosus 138; parviflorus 138

Rudbeckia grandiflora var. alismaefolia 152; hirta var. pulcherrima 152; maxima 152 Rumex 133, 318; acetosella 133; altissimus 133; crispus 133; obtusifolius 133

Saccharum 288; officinarum 11, 27, 293 Salix 380

Salmonella 102, 162; typhimurium 102

Salvia 147; carduacea 147; ceratophylla 147; farinacea 147; hispanica 147; lyrata 147; officinalis 23-26; reflexa 147; syriaca 147; tchihatcheffii 147; texana 147

Sambucus nigra 24; pubens 148

Sanguisorba minor 138 Sapindus saponaria 142; trifoliata 142 Saponaria vaccaria 429-433; viscosa 134

Sapota zapatilla 299 Sarcina 157 Sassafras albidum 22, 25

Scabiosa japonica 148

Schinopsis balansae 25; lorentzii 25 Schinus molle 142, 409 Schizanthus wisetonensis 147 Schkuhria wrightii 152 Sclerocarpus spathulatus 152

Scorzonera hispanica 152 Scutellaria drummondii 147 Sechium edule 9

Selenia grandis 137
Senecio 153, 386, 387, 392; sect. Pericallis
388, 394; appendiculatus 388, 390; bicolor
390; coelestis 390; cruentus 386-395; echinatus 388-391; formosa 390; gomeraeus
388; hadrosomus 388; hartwegii 152; hendersoni 390; heritieri 386-394; hieracifolius
152; hybridus 389; maderensis 388, 390;
malvaefolius 388; multiflorus 388, 392;
murrayi 388; papyraceus 388-391; populifolius 388, 390; pulchella 390; schaffneri
152; steetzii 388; tussilaginis 388-393; water-

housiana 390; webbii 388, 390 Sericocarpus asteroides 153 Sepedonium ampullosporum 120, 122

Serratia 161
Sesamum indicum 24-26
Sesbania drummondii 140
Setaria verticillata 131
Seymeria glandulosa 148
Sibera vivginica 137

Sibera virginica 137 Sicyos angulata 149 Sida corymbosa 143; rhombifolia 293 Sideritis montana 147 Sideroxylon angustifolium 146 Silene densiflora 134; supine 134; vulgaris 134 Simmondsia chinensis 142

Simsia amplexicaulis 153; calva 153; lagascaeformis 153 Sinapis arvensis 137

Sisymbrium irio 137 Sisyrinehium 133

Solanum elaeagnifolium 147; mammosum 293; tuberosum 10, 23, 26 Sonchus oleraceus 153

Sophora 27, 29; secundiflora 140 Sorghum almum 131; bicolor 131, 132 Spartium junceum 140 Spicaria elegans 252, 253, 372 Spilanthes ocymifolia 293 Spinacia oleracea 134 Spermolepis inermis 145

Spondias mombin 174 Staphylea pinna 142 Stegnosperma 366

Sterculia apetala 143; urens 23-27 Sterigmatocystis alba 157

Stevia 153; rhombifolia var. uniaristata 153; serrata 153; var. arguta 153; var. linoides 153; viscida 153

Streptocarpus 366 Streptopus amplexifolius 132 Strychnos nux-vomica 23, 26 Styrax benzoin 23, 27; obessia 146 Swertia japonica 27 Symphoricarpos orbiculatus 148

Syncephalastrum 164 Syringa vulgaris 146

Tabebuia palmeri 148 Tagetes erecta 293; lucida 153; subulata 153 Tamarindus indica 9 Tamarix gallica 144 Taraxacum officinale 153 Taxodium distichum 131

Tephrosia 368-371; leiocarpa 140; vogelii 279-284, 368-371 Terminalia buceras 144

Tetraclinis articulata 21, 27 Thalictrum dipterocarpum 135

Thelesperma ambiguum 153; megapotamicum

Thelypodium texanum 137 Themeda triandra 132 Theobroma cacao 23, 25, 293 Thevetia thevetioides 146 Thielaviopsis basicola 82

Thlaspi arvense 137; perfoliatum 137 Thuja occidentalis 21, 25

Thymus vulgaris 23, 25 Tithonia 153; calva 153; thurberi 153; tu-

baeformis 153 Tofieldia occidentalis 132 Torilia japonica 145

Tragopogon major 153; pratensis 153 Trichoderma 372, 375

Trigonella foenum-graecum 140, 268

Tripsacum 213

Triticum 214, 350-360; aestivum 21, 26, 213, 353-355; boeoticum 351, 352; compactum 354, 355; dicoccoides 352, 355; dicoccum 351-355; monococcum 351; spelta 350, 354. 355; sphaerococcum 355; vulgare 354

Triumfetta brevipes 143 Trixis radialis 153 Tropaeolum 141 Turbina corymbosa 416

Ulmus americana 205; pumila 133

Valerianella radiata 148 Vanilla planifolia 21, 27

Verbascum 148; thapsus 26, 148 bipinnatifida 147; rigida Verbena triphylla 23, 25

Verbesina encelioides var. exauriculata 153: serrata 153; var. pringlei 153

Verbuscum thapsus 23 Vernonia anthelmintica 153; deppeana 153;

liatroides 153; pallens 153 Veronica longifolia 148; peregrina 148; spi-

cata 148 Verticillium albo-atrum 199 Vetiveria zizanioides 21, 25

Vicia angustifolia 140; desycarpa 140; faba 11; leavenworthii 140; noeana 140; sativa 140; villosa 140

Viguiera ciliata 153; decurrens 153; dentata 153; hypargyrea 153; linearis 153; stenoloba 153

Vinca rosea 146 Virola guatemalensis 135


Vitis 26, 27; berlandieri 46; labrusca 46; riparia 46; rupestris 46; solonis 46; vinifera 46-64

Wiedemannia orientalis 147

Xanthosoma 288, 295, 296; sagittifolium 408 Xanthosome violaceum 292

Yucca aloifolia 11; elata 132; schidigera 132; schottii 132

Zaluzania 153; discoidea 153 Zamia 98; debilis 99; floridana 100 Zea mays 11, 21, 26, 291, 292, 297, 408 Zeuxine strateumatica 215 Zinnia elegrans 293 Ziziphus jujuba 143 Zygophyllum fabago 141



# ECONOMIC BOTANY

Devoted to Applied Botany and Plant Utilization

Founded by Edmund H. Fulling

Publication of The Society for Economic Botany

VOLUME XX 1966

Published for The Society

by

THE NEW YORK BOTANICAL GARDEN

Printed by

Monumental Printing Company

Baltimore, Maryland



## TABLE OF CONTENTS

## No. 1. January-March

News of The Society for Economic Botany		1
New Crops-Visionary Dream or Practical Reality	Ivan A. Wolff	2
Food Plants in a Mexican Market		
Thom	nas W. Whitaker and Hugh C. Cutler	6
The Use of Plants in Hair and Scalp Preparations	Frank C. Roia, Jr.	17
The Cajeput Tree-A Boon and an Affliction	Julia F. Morton	31
Palm Sugar-A Plantation Industry in India	P. C. Vasaniya	40
The History of the Grape-Vine in the Holy Land	Asaph Goor	46
The Production and Utilization of the Genus Enset		65
Effect of Temperature on Seed Germination of Te Varieties of Limmanthes	n Species and S. J. Toy and B. C. Willingham	71
The Genus Nicotiana: A Source of Resistance to D Cultivated Tobacco	Disease of L. G. Burk and H. E. Heggestad	76
Fungal Protein for Food and Feeds. I. Introduction	on William D. Gray	89
Bermuda Grass-Worldly, Wily, Wonderful Weed	William R. Kneebone	94
Research Progress on Cycads  Marjorie Whiting	, Maria Spatz and Hiromu Matsumoto	98
The Pinyon Pines and Man	George G. Fogg	103
Book Reviews		106
No. 2. April	-June	
News of The Society for Economic Botany		117
Announcement of Selenium Symposium		118
Fungal Protein for Food and Feeds. II. Whole S William D. G	weet Potato as a Substrate ray and Mohamed O. Abou-El-Seoud	119
Chemical Analyses of Seeds II: Oil and Protein C	Content of 759 Species  Quentin Jones and F. R. Earle	127
Microbiology of Flours	C. W. Hesseltine and R. R. Graves	156
Archeological Evidence for Selection in Avocado	C. Earle Smith, Jr.	169
Hemp Growing in the Republic of Korea	Jeung Haeng Ree	176
The Depilatory and Cytotoxic Action of "Coco de and its Relationship to Chronic Seleniosis		107
	Francisco Kerdel-Vegas	187

Sugar Maple Decline: An Evaluation

**Book Reviews** 

Arthur H. Westing 196

## TABLE OF CONTENTS, VOLUME 20, 1966

# No. 3. July-September

News of The Society for Economic Botany	221
In Memoriam—P. Maheshwari	221
In Memoriam—Basil George Christidis	222
The Place of the Olive in the Holly Land and its History Through the Ages  Asaph Goor	223
Leaf Protein Concentrates: A Comparison of Protein Production Per Acre of Forage with that from Seed and Animal Crps	223
Walter A. Akeson and Mark A. Stahmann	244
Fungal Protein for Food and Feeds. III. Manioc as a Potential Crude Raw Material for Tropical Areas	
William D, Gray and Mohamed O. Abou-El-Seoud Cottonseed's Role in a Hungry World	251
M. G. Lambou, R. L. Shaw, K. M. Decossas, and H. L. E. Vix	256
Chemical Composition of Teff (Eragrostis tef) Compared with that of Wheat, Barley and Grain Sorghum	
Melak H. Mengesha	268
The Phenlyethylamine Alkaloids of Native Range Plants  Bennie J. Camp and Michael J. Norvell	274
Recovery of Natural Insecticide from Tephrosia vogelii. I. Efficiency of Rotenoid	
Extraction from Fresh and Oven-dried Leaves	
Donald K. Barnes and Ruben H. Freyre	279
Studies of Cultivated Plants in Choco Dwelling Clearings, Darien, Panama  Alan P. Covich and Norton H. Nickerson	285
Pejibaye Palm: Yields, Prices and Labor Costs Carl L. Johannessen	302
The Present State of Ethnobotany in the Southwest  Alfred F. Whiting	316
Book Reviews	326
No. 4. October-December	
110, 4. OCTOBER-DECEMBER	
Announcement	349
1966—Commentary on the Phylogenesis of Triticum and Hordeum Occurrence of Petaloid Stamens in Wild Carrot (Daucus carota)	350
from Sweden Gilbert D. McCollum	361
Recovery of Natural Insecticides from Tephrosia vogelii.  II. Toxicological Properties of Rotenoids Extracted from Fresh	
and Oven-dried Leaves Donald K. Barnes and Ruben H. Freyre	368
Fungal Protein for Food and Feeds. IV. Whole Sugar Beets or Beet	200
Pulp as a Substrate William D. Gray and Mohamed O. Abou-El-Seoud C. L. Madan, B. M. Kapur and U. S. Gupta	372 377
A Review of the Origin and Development of the Florists' Cineraria,	3//
Senecio cruentus  T. M. Barkley	386
The Evolution of Plant Type in Oryza sativa Peter R. Jennings	396
Recent Advances In Our Knowledge of the Morphology, Cultivation and Uses of Ginseng (Panax ginseng C. A. Meyer)  A. Baranov	403
Achira, the Edible Canna, Its Cultivation and Use in the Peruvian Andes  Daniel W. Gade	407
Alkaloids and Lipids of Ipomoea, Rivea and Convolvulus and Their Application of Chemotaxonomy  K. Genest and M. R. Sahasrabudhe	416
Utilization and Agronomic Studies of Cow Cockle (Saponaria vaccaria)  K. J. Goering, R. F. Eslick, C. A. Watson and Jium Keng	429
A Collection of Maize from Darien, Panama Norton H. Nickerson and Alan P. Covich	434
The Evolution of Glumeless Sweet Corn Walton C. Galinat	441
Bibliography of American Archaeological Plant Remains C. Earle Smith, Jr., Eric O. Cullen, Hugh C. Cutler, Walton C. Galinat	
Lawrence Kaplan, Thomas W. Whitaker and Richard A. Yarnell	446
Book Reviews	461
Index to Volume 20	473

